

1	INITIAL RELEASE	JACK WU	2015/12/16
2	NEW FORM	JACK WU	2020/05/12
3			

SPECIFICATION:

1. Current Rating: 0.2A
2. Rated Voltage: 10V AC/DC
3. Contact Resistance: 50mΩ Max.
4. Insulator Resistance: 1000M Ω Min.
5. Withstanding Voltage: 500V AC
6. Durability: 2,000 Cycles
7. Operature Temperature: -30°C~+85°C

6.	LATCH	Stainless Steel
5.	CAM	Stainless Steel
4.	LEVER	Stainless Steel
3.	SHELL	Stainless Steel, Gold Plating on Soldertail
		Copper Alloy , Gold Plating on Contact Area and Gold Plating on Soldertail Area
2.	CONTACT	
1.	HOUSING	Hi-Temp Thermoplastic UL94 V-0, Black
NO. PART NAME		DESCRIPTION
DIMENSIONS : mm		TOLERANCES UNLESS OTHERWISE SPECIFIED : X. ± 0.30 X.X ± 0.20 X,XX ± 0.10 ANGLES ± 3°
		
SCALE		Chunxin Technology NAME Nano SIM Socket Tray Type 6Pin+Switch, H=1.35mm
1 : 1		
SHEET		
1/3		
SIZE		PRODUCT No. CX1-NSM6402-61
A4		
CUSTOMER DRAWING		DRAWING No. CS-NSIM005

Chunxin Technology	
NAME	
Nano SIM Socket Tray Type 6Pin+Switch, H=1.35mm	
CX1-NSM6402-61	
CS-NSIM005	

Chunxin Technology	
NAME	
Nano SIM Socket Tray Type 6Pin+Switch, H=1.35mm	
CX1-NSM6402-61	
CS-NSIM005	

Chunxin Technology	
NAME	
Nano SIM Socket Tray Type 6Pin+Switch, H=1.35mm	
CX1-NSM6402-61	
CS-NSIM005	

Chunxin Technology	
NAME	
Nano SIM Socket Tray Type 6Pin+Switch, H=1.35mm	
CX1-NSM6402-61	
CS-NSIM005	

Chunxin Technology	
NAME	
Nano SIM Socket Tray Type 6Pin+Switch, H=1.35mm	
CX1-NSM6402-61	
CS-NSIM005	

Chunxin Technology	
NAME	
Nano SIM Socket Tray Type 6Pin+Switch, H=1.35mm	
CX1-NSM6402-61	
CS-NSIM005	

Chunxin Technology	
NAME	
Nano SIM Socket Tray Type 6Pin+Switch, H=1.35mm	
CX1-NSM6402-61	
CS-NSIM005	

Chunxin Technology	
NAME	
Nano SIM Socket Tray Type 6Pin+Switch, H=1.35mm	
CX1-NSM6402-61	
CS-NSIM005	

Chunxin Technology	
NAME	
Nano SIM Socket Tray Type 6Pin+Switch, H=1.35mm	
CX1-NSM6402-61	
CS-NSIM005	

Chunxin Technology	
NAME	
Nano SIM Socket Tray Type 6Pin+Switch, H=1.35mm	
CX1-NSM6402-61	
CS-NSIM005	

Chunxin Technology	
NAME	
Nano SIM Socket Tray Type 6Pin+Switch, H=1.35mm	
CX1-NSM6402-61	
CS-NSIM005	

Chunxin Technology	
NAME	
Nano SIM Socket Tray Type 6Pin+Switch, H=1.35mm	
CX1-NSM6402-61	
CS-NSIM005	

Chunxin Technology	
NAME	
Nano SIM Socket Tray Type 6Pin+Switch, H=1.35mm	
CX1-NSM6402-61	
CS-NSIM005	

Chunxin Technology	
NAME	
Nano SIM Socket Tray Type 6Pin+Switch, H=1.35mm	
CX1-NSM6402-61	
CS-NSIM005	

Chunxin Technology	
NAME	
Nano SIM Socket Tray Type 6Pin+Switch, H=1.35mm	
CX1-NSM6402-61	
CS-NSIM005	

Chunxin Technology	
NAME	
Nano SIM Socket Tray Type 6Pin+Switch, H=1.35mm	
CX1-NSM6402-61	
CS-NSIM005	

Chunxin Technology	
NAME	
Nano SIM Socket Tray Type 6Pin+Switch, H=1.35mm	
CX1-NSM6402-61	
CS-NSIM005	

Chunxin Technology	
NAME	
Nano SIM Socket Tray Type 6Pin+Switch, H=1.35mm	
CX1-NSM6402-61	
CS-NSIM005	

Chunxin Technology	
NAME	
Nano SIM Socket Tray Type 6Pin+Switch, H=1.35mm	
CX1-NSM6402-61	
CS-NSIM005	

Chunxin Technology	
NAME	
Nano SIM Socket Tray Type 6Pin+Switch, H=1.35mm	
CX1-NSM6402-61	
CS-NSIM005	

Chunxin Technology	
NAME	
Nano SIM Socket Tray Type 6Pin+Switch, H=1.35mm	
CX1-NSM6402-61	
CS-NSIM005	

Chunxin Technology	
NAME	
Nano SIM Socket Tray Type 6Pin+Switch, H=1.35mm	
CX1-NSM6402-61	
CS-NSIM005	

Chunxin Technology	
NAME	
Nano SIM Socket Tray Type 6Pin+Switch, H=1.35mm	
CX1-NSM6402-61	
CS-NSIM005	

Chunxin Technology	
NAME	
Nano SIM Socket Tray Type 6Pin+Switch, H=1.35mm	
CX1-NSM6402-61	
CS-NSIM005	

Chunxin Technology	
NAME	
Nano SIM Socket Tray Type 6Pin+Switch, H=1.35mm	
CX1-NSM6402-61	
CS-NSIM005	

Chunxin Technology	
NAME	
Nano SIM Socket Tray Type 6Pin+Switch, H=1.35mm	
CX1-NSM6402-61	
CS-NSIM005	

Chunxin Technology	
NAME	
Nano SIM Socket Tray Type 6Pin+Switch, H=1.35mm	
CX1-NSM6402-61	
CS-NSIM005	

Chunxin Technology	
NAME	
Nano SIM Socket Tray Type 6Pin+Switch, H=1.35mm	
CX1-NSM6402-61	
CS-NSIM005	

Chunxin Technology	
NAME	
Nano SIM Socket Tray Type 6Pin+Switch, H=1.35mm	
CX1-NSM6402-61	
CS-NSIM005	

Chunxin Technology	
NAME	
Nano SIM Socket Tray Type 6Pin+Switch, H=1.35mm	
CX1-NSM6402-61	
CS-NSIM005	

Chunxin Technology	
NAME	
Nano SIM Socket Tray Type 6Pin+Switch, H=1.35mm	
CX1-NSM6402-61	
CS-NSIM005	

Chunxin Technology	
NAME	
Nano SIM Socket Tray Type 6Pin+Switch, H=1.35mm	
CX1-NSM6402-61	
CS-NSIM005	

Chunxin Technology	
NAME	
Nano SIM Socket Tray Type 6Pin+Switch, H=1.35mm	
CX1-NSM6402-61	
CS-NSIM005	

Chunxin Technology	
NAME	
Nano SIM Socket Tray Type 6Pin+Switch, H=1.35mm	
CX1-NSM6402-61	
CS-NSIM005	

Chunxin Technology	
NAME	
Nano SIM Socket Tray Type 6Pin+Switch, H=1.35mm	
CX1-NSM6402-61	
CS-NSIM005	

Chunxin Technology	
NAME	
Nano SIM Socket Tray Type 6Pin+Switch, H=1.35mm	
CX1-NSM6402-61	
CS-NSIM005	

Chunxin Technology	
NAME	
Nano SIM Socket Tray Type 6Pin+Switch, H=1.35mm	
CX1-NSM6402-61	
CS-NSIM005	

Chunxin Technology	
NAME	
Nano SIM Socket Tray Type 6Pin+Switch, H=1.35mm	
CX1-NSM6402-61	
CS-NSIM005	

Chunxin Technology	
NAME	
Nano SIM Socket Tray Type 6Pin+Switch, H=1.35mm	
CX1-NSM6402-61	
CS-NSIM005	

Chunxin Technology	
NAME	
Nano SIM Socket Tray Type 6Pin+Switch, H=1.35mm	
CX1-NSM6402-61	
CS-NSIM005	

Chunxin Technology	
NAME	
Nano SIM Socket Tray Type 6Pin+Switch, H=1.35mm	
CX1-NSM6402-61	
CS-NSIM005	

Chunxin Technology	
NAME	
Nano SIM Socket Tray Type 6Pin+Switch, H=1.35mm	
CX1-NSM6402-61	
CS-NSIM005	

Chunxin Technology	
NAME	
Nano SIM Socket Tray Type 6Pin+Switch, H=1.35mm	
CX1-NSM6402-61	
CS-NSIM005	

Chunxin Technology	
NAME	
Nano SIM Socket Tray Type 6Pin+Switch, H=1.35mm	
CX1-NSM6402-61	
CS-NSIM005	

Chunxin Technology	
NAME	
Nano SIM Socket Tray Type 6Pin+Switch, H=1.35mm	
CX1-NSM6402-61	
CS-NSIM005	

Chunxin Technology	
NAME	
Nano SIM Socket Tray Type 6Pin+Switch, H=1.35mm	
CX1-NSM6402-61	
CS-NSIM005	

Chunxin Technology	
NAME	
Nano SIM Socket Tray Type 6Pin+Switch, H=1.35mm	
CX1-NSM6402-61	
CS-NSIM005	

Chunxin Technology	
NAME	
Nano SIM Socket Tray Type 6Pin+Switch, H=1.35mm	
CX1-NSM6402-61	
CS-NSIM005	

Chunxin Technology	
NAME	
Nano SIM Socket Tray Type 6Pin+Switch, H=1.35mm	
CX1-NSM6402-61	
CS-NSIM005	

Chunxin Technology	
NAME	
Nano SIM Socket Tray Type 6Pin+Switch, H=1.35mm	
CX1-NSM6402-61	
CS-NSIM005	

Chunxin Technology	
NAME	
Nano SIM Socket Tray Type 6Pin+Switch, H=1.35mm	
CX1-NSM6402-61	
CS-NSIM005	


Chunxin Technology	
NAME	
Nano SIM Socket Tray Type 6Pin+Switch, H=1.35mm	
CX1-NSM6402-61	
CS-NSIM005	

Chunxin Technology	
NAME	
Nano SIM Socket Tray Type 6Pin+Switch, H=1.35mm	
CX1-NSM6402-61	
CS-NSIM005	

Chunxin Technology	
NAME	
Nano SIM Socket Tray Type 6Pin+Switch, H=1.35mm	
CX1-NSM6402-61	
CS-NSIM005	

Chunxin Technology	
--------------------	--

1	INITIAL RELEASE	JACK WU	2015/12/16
2	NEW FORM	JACK WU	2020/05/12
3			




RERECOMMENDED P.C.BOARD LAYOUT
SCALE 2 : 1 / TOLERANCES : ± 0.05


 KEEP OUT AREA

CONTACT PIN ASSIGNMENT

PIN No.	No. FOR CARD
PIN 1	Vcc
PIN 2	RST
PIN 3	CLK
PIN 5	GND
PIN 6	Vpp
PIN 7	I/O
PIN 9	Detect Switch
PIN 10	Vss : GND



NO.	PART NAME	DESCRIPTION
DIMENSIONS : mm	TOLERANCES UNLESS OTHERWISE SPECIFIED : X. ± 0.30 X.X ± 0.20 X.XX ± 0.10 ANGLES $\pm 3^\circ$	Chunxin Technology
	NAME	
SCALE 1 : 1	DWN JACK WU	20151216
SHEET 2/3	CHK PETER WANG	20151216
SIZE A4	APVD SIMON LI	20151216
CUSTOMER DRAWING	PRODUCT No. CX1-NSM6402-61	DRAWING No. CS-NSIM005



1	INITIAL RELEASE	JACK WU	2014/12/16
2	NEW FORM	JACK WU	2020/05/12
3			

2.	METAL	SUS 301
1.	HOUSING	PA46
NO.	PART NAME	DESCRIPTION
DIMENSIONS : mm		TOLERANCES UNLESS OTHERWISE SPECIFIED : X. ± 0.30 X.X ± 0.20 X.XX ± 0.10 ANGLES ± 3°
SCALE 1 : 1		DWN JACK WU 20191030
SHEET 3/3		CHK PETER WANG 20191030
SIZE A4		APVD SIMON LI 20191030
CUSTOMER DRAWING		PRODUCT No. CX1-NSM6402-61
		DRAWING No. CS-NSIM005