









SPECIFICATION:


1. Current Rating: 6A
2. Voltage : 30V
3. Operating Temperature : -40°C ~ +85°C

1.	INSULATOR	PA66 +15% GF UL94V-0, Black		
NO.	PART NAME	DESCRIPTION		
DIMENSIONS : mm		TOLERANCES UNLESS OTHERWISE SPECIFIED : X. ± 0.30 X.X ± 0.20 X.XX ± 0.10 ANGLES ± 3°		Chunxin Technology
				
SCALE 1 : 1	DWN JACK WU	20100226	NAME OBDII Crimp Type Female Housing Mounting Ears, Black	
SHEET 1/3	CHK PETER WANG	20100226		
SIZE A4	APVD SIMON LI	20100226		
CUSTOMER DRAWING			PRODUCT No.	CX6-OBF03-72
			DRAWING No.	VE-OB004




1	INITIAL RELEASE	JACK WU	2009/02/26
2	NEW FORM	Ron Lo	2021/04/23
3			

1.	RETAINER	PA66 +15% GF UL94V-0, Gray	
NO.	PART NAME	DESCRIPTION	
DIMENSIONS : mm		TOLERANCES UNLESS OTHERWISE SPECIFIED : X. ± 0.30 X.X ± 0.20 X.XX ± 0.10 ANGLES ± 3° Chunxin Technology	
			
SCALE 2 : 1	DWN JACK WU	20090226	NAME OBDII Crimp Type Female Retainer, Gray, For CX6-OBF03-72
SHEET 2/3	CHK PETER WANG	20090226	
SIZE A4	APVD SIMON LI	20090226	PRODUCT No. CX6-OBF03R1-72
CUSTOMER DRAWING			DRAWING No. VE-OB004



1	INITIAL RELEASE	JACK WU	2017/11/05
2	NEW FORM	Ron Lo	2021/04/23
3			



1.	TERMINAL	Phosphor Bronze, Tin Plated	
NO.	PART NAME	DESCRIPTION	
DIMENSIONS : mm		TOLERANCES UNLESS OTHERWISE SPECIFIED : X. ± 0.30 X.X ± 0.20 X.XX ± 0.10 ANGLES ± 3°	
SCALE 5 : 2		NAME	
SHEET 3/3		OBDII Crimp Type Female Terminal, Crimp Pin For CX6-OBF03-71/2	
SIZE A4		PRODUCT No. CX6-OBF03T1-71	
CUSTOMER DRAWING		DRAWING No. VE-OB004	