





SPECIFICATION:


- 1. Current Rating: 6A
- 2. Voltage : 30V
- 3. Operating Temperature : -40°C ~ +85°C

1.	INSULATOR	PA66 +15% GF UL94V-0, Black		
NO.	PART NAME	DESCRIPTION		
	DIMENSIONS : mm		TOLERANCES UNLESS OTHERWISE SPECIFIED :	
			X. ± 0.30 X.X ± 0.20 X.XX ± 0.10 ANGLES ± 3°	
SCALE	DWN	JACK WU	20090804	NAME Chunxin Technology
SHEET	CHK	PETER WANG	20090804	OBDII Crimp Type Female Housing Flangs, Black
SIZE	APVD	SIMON LI	20090804	PRODUCT No. CX6-OBF03-71
CUSTOMER DRAWING			DRAWING No. VE-OB003	




8		9		10	
1	INITIAL RELEASE		JACK WU	2008/01/09	
2	NEW FORM		Ron Lo	2021/04/23	
3					

1.	RETAINER	PA66 +15% GF UL94V-0, Blue			
NO.	PART NAME	DESCRIPTION			
DIMENSIONS : mm		TOLERANCES UNLESS OTHERWISE SPECIFIED : X. ± 0.30 X.X ± 0.20 X.XX ± 0.10 ANGLES ± 3°		Chunxin Technology	
					
SCALE 2 : 1		DWN JACK WU	20080109	NAME OBDII Crimp Type Female Retainer, Blue, For CX6-OBF03-71	
SHEET 2/3		CHK PETER WANG	20080109		
SIZE A4		APVD SIMON LI	20080109		
CUSTOMER DRAWING		DRAWING No.			
				VE-OB003	



1	INITIAL RELEASE	JACK WU	2017/11/05
2	NEW FORM	Ron Lo	2021/04/23
3			



1.	TERMINAL	Phosphor Bronze, Tin Plated	
NO.	PART NAME	DESCRIPTION	
DIMENSIONS : mm		TOLERANCES UNLESS OTHERWISE SPECIFIED : X. ± 0.30 X.X ± 0.20 X.XX ± 0.10 ANGLES ± 3°	
SCALE 5 : 2		NAME	
SHEET 3/3		OBDII Crimp Type Female Terminal, Crimp Pin For CX6-OBF03-71/2	
SIZE A4		PRODUCT No. CX6-OBF03T1-71	
CUSTOMER DRAWING		DRAWING No. VE-OB003	